



PURE™

FINE FABRIC · FINE LIVING

ap rroyale


furnishing by ap asianpaints

TATTVA


ap asianpaints

GUIDE TO USING THIS E-CATALOGUE


This Ecatalogue has built in links which when clicked will take to you relevant sections for easy accessibility.



Click on these sections to take you to its Fabric Swatch page for a detailed view.



Click on the button below to go back to its layers page



If you are viewing this on Android Phone please download the following App to experience the interactivity in this e-catalogue:

Adobe Acrobat Reader: PDF Viewer, Editor & Creator

GUIDE TO USING THIS E-CATALOGUE

Photo section pages also have built in links.



Click on fabrics seen in the Photo to take you to its Fabric Swatch page for a detailed view.

KEPNER RHINO 110918

Specification

Design	- KEPNER
Shade	- RHINO
Width	- 132
Composition	- 84% - 70%V, 30%L, 84% - 30% CO
Repeat	- H 12 x W 13
OSM	- 844
Material	- N/A
Wash Care	- ONLY DRY CLEAN, FOR 2 DOYS, DON'T BLEACH, DON'T TUMBLE, HANG DRY

Colour Way

17

◀◀ Back to Photo ◀◀ Back to Layer

Click on the button to go back to image

DISCLAIMER

Viewers of this e-catalogue are requested to refer to our **physical catalogs** available at select stores for more accurate representation of the end fabric, since there may be colour variation **due to different capabilities** of various display devices. We try to edit our images to show the samples as life-like as possible, but please note that the actual color of the physical fabric may vary from **what is seen** on your device.

TATTVA

Tattva is a timeless collection of bold geometrics, exciting selections of textures and rhythmic linear patterns, inspired from the spontaneous rich lands of Africa, complimented by techniques such as embroidery and dobby that fuel the soul of this collection. It's contrasting colours- white, black and beige make this collection a timeless statement, one that instills sophistication and coziness to the space. Suitable for upholstery this collection is best for a contemporary chic home.



TABLE OF CONTENTS



Layers

Pg 9



Fabric Swatches

Pg 29



Technical Report

Pg 60



SUGGESTIVE
WALL TREATMENT

BED SPREAD
110911

CURTAINS
110924

CUSHIONS
110901

SUGGESTIVE
WOODEN
FLOORING

SUGGESTIVE
PROPS

SUGGESTIVE
WALLPAPER
PATTERN

BENCH
110936

SUGGESTIVE
RUG

WALL
PAINT

WALL
PAINT

ACCENT

ACCENT

TRAVELLER'S DEN



Grain Pendant light is crafted with precision, made from a mixture of bamboo fibers and polypropylene. This camouflages itself into it's surrounding.

The half black- half white concept on walls using wall paneling to create rhythms and symmetry in walls is an interesting take and gives character to the room, also complimenting the geometry of the rooms upholstery.



The meticulously hand crafted Art deco style mirror is a statement piece that adds an interesting element to the room.



Cement Alhambra tile takes its design inspiration from the arabesque motifs of palaces giving the space a grandeur befitting, bringing some lively energy into the space.



Keeping the rich craftsman of the room and the rest of its props the simple terracotta planter with a huge plant is ideal in the setup and blends in like a family.



The bench is very mid-century modern, very simple and can blend in any setup. The seating portion gives enough surface area to experiment with upholstery.



The light tone herringbone flooring uplifts the room, making it brighter and giving it a fresh feel.



Contemporary wooden side table in walnut, with a gold collar is a graphically striking table.



A black-framed woven rattan mesh bed is a classic with a tropical twist. Very bohemian and has a vintage appeal to it, yet fits into the modern setup.




A distressed antique Persian Tabriz rug is a modern day timeless classic. This colourful rug is perfect for this room as it adds colour to the space and compliments the textured and geometric black, beige and white tones of the fabrics.

TATTVA



KEPNER | RHINO | TEXTURED GRID | 110918  






BARKA | TAUPE | QUILTED CHECKS | 110919   






KILIMA | MATOPE | CHEVRON | 514   

TATTVA

BAXTER | NERO | TEXTURED CHECKS | 110901   

WESTON | JADE BLACK | TRELLIS | 110902   

PATAN | CHARCOAL | STRIPE | 110931   

TATTVA

CHAYA | PYRITE | TEXTURED CHECKS | 110904   

BARKA | BLACK | QUILTED CHECKS | 110935   

TASYA | TEKTITE | GEOMETRIC FLOWER | 110907   





SUGGESTED WALL TREATMENT

CURTAIN /BLINDS 110918

CUSHION 110919



UPHOLSTERY 107746

SUGGESTED RUG



ACCENT

WALL COLOUR

METAL FINISH

ACCENT

SUGGESTED FLOORING


COASTAL



This pendant light finished in a solid metallic tone is perfect for illuminating a compact area, casting a warm and relaxing glow.



Black marble crack effect gives the marble a very natural texture one that is aesthetically pleasing and luxurious. It resembles the waves crashing by the shore.



This interlocked geometric star patterned rug in its tone on tone colour scheme, gives the space an elegant and fresh look and speaks to the theme 'coastal'.



Natural serving tray brown wooden plate, adds an element of nature into the space.



The Simon Modern Classic 6 drawer in grey shagreen and brushed with an accent of gold has a very raw luxury appeal to it, which gives gravity to the space with it's structure and gives it a n antique touch.



Wall trim is a strong visual signal, a fresh take on the traditional walls. The geometric and repetitive shapes of this technique give the space a modern look.



The statement ceramic flower vase ribbed base with a coral colour resembles the shell of an oyster.






A stoneware vase is a beautifully crafted outcome of pottery, which sits elegantly in the space.



This statement chair by Studiotwentyve unfolds in layers like the sea and fits perfectly into the space, adding an element of art.

TATTVA

PRUGE | SABLE | STRIPE | 110937   

CASPER | QUARTZ | TEXTURE | 110908   

JAIRO | ONYX | OPTICAL TEXTURE | 110909   

TATTVA

JABARI | NOIR | TRIBAL STRIPES | 110910   




HALE | QUARRY | TEXTURE | 110911   

EARL | GRAPHITE | GRID TEXTURE | 110912   

TATTVA

BELKA | INK | TEXTURED CHECKS | 110913   

CAREY | RAVEN | CHEVRON | 110914   

CUBA | SOOT | GRID | 110915   



NEWBEE CRIB



Kids black drawing board is a must have, a place for the kid to unleash ones creativity and see it's imaginations come to life.



The bright yellow wallpaper adds a happy play to the room with its smooth curves and majestic scale, easing the view of the eye, the room feels very inviting.



Snow white wooden floor in mat texture allows the space to change with time and also brightens up the room, giving it a calm settled atmosphere.



This mid-century modern bedside table in ash grey with regal touches makes this the perfect addition to the room.



A yellow, white and black painting compliments the overall colour palette and look of the space and its fabrics.



The mushroom desk modern metal lamp in turquoise adds a pop of colour into the room.



Stylish rocking chair by Monte is perfect for the mom to rest on while she rocks her baby to a lullaby. It's round edges compliment the roundness of the wallpaper and objects in the room, giving the room a cozy look.



French mattress cushion, a versatile daybed with a slotted top it can work as a modern bench or a comfy bed.



CUSHION
110913



CUSHION
110928




SUGGESTED ACCESORIES



SUGGESTED MIRROR

CURTAINS/BLINDS
110937



UPHOLSTERY
110926

SUGGESTED
FLOORING



SUGGESTED
WOOD FINISH



WALL
PAINT



ACCENT



WALL
PAINT



WALLPAPER



SUGGESTED TILE

THE SANCTUARY



Stokely Rustic Round mirror blends into the space in its beautiful shades of beige, settling in with its simplicity of form.




This geometric Phantasm Marble tile in its sharp geometry and elegant finish creates a captivating and bold statement flooring that adds dimension and visual drama to the room.



Woven Bamboo planter basket in half natural and half black adds character to the room also complimenting its palette and patterns.



Lifting the ambience of the room, this side table in white textured marble supported by a brass cross-sectional frame, it is a perfect fit for the colour palette of the space.



Blended finishes and sleek lines in antique brass and a marble bottom finish to support the lamp. This lamp brings out the modern sensibility and striking style to the space.



Soft greens go beautifully with greys and beiges, like a warm spring day in the garden. Hence, the beige textured marble flooring settles into the space in harmony with the green wallpaper and rest of the interior.






The simple thin-framed mid-century sofa fits elegantly, giving the room a sophisticated appeal.






The wood finish adds a fresh feel to the more monotone colour palette of the space, thus giving it a fresh feel.

TATTVA

ENRICO | ANCHOR | GRID TEXTURE | 110916   

PODRICK | LEAD | STRIPE | 110917   

MURSI | USIKU | TEXTURE | 526   

TATTVA

ADALI | PEBBLE | ABSTRACT | 110920



QUITO | SMOKE | TEXTURE | 110921



WIGA | KURO | CHEVRON | 110936







SUGGESTED
FLOORING

CUSHIONS
110909

SUGGESTED
WALL PAPER

SUGGESTED
LAMP

CHAIR
526

FLOOR
SEATING
110916

CURTAINS/BLINDS
110927




ACCENT




ACCENT

WALL
PAINT

TATTVA



TAYEB | SHADOW | TEXTURED GRID | 110922   

MEANDER | OBSIDIAN | MODERN CHECKS | 110924   

ADONI | FOSSIL | CHEVRON | 110926   

TATTVA

ALWAR | PITCH | STRIPE | 110927   

BHUJ | MAGMA | TRIBAL DIAMOND | 110930   

AUDRE | EBONY | TRIBAL STRIPE | 107746  

TATTVA



VITRAIL | ROVER | BROKEN SCALLOP | 110928







KEPNER RHINO 110918

Specification

Design : KEPNER
 Shade : RHINO
 Width : 132 cm
 Composition : BASE - 70%VISCOSE, 30%LINEN,
 EMB - 100% COTTON
 Repeat : H- 12 cm x W- 13 cm
 GSM : 466
 Martindale : N/A
 Wash Care : ONLY DRY CLEAN, IRON 2 DOTS,
 DON'T BLEACH, DON'T TUMBLE,
 HANG DRY



Colour Way



◀◀ INDEX

◀◀ Back to Photo

◀◀ Back to Styling Page

◀◀ Back to Layer




BARKA TAUPE 110919

Specification

Design : BARKA
Shade : TAUPE
Width : 135.5 cm
Composition : BASE-100%POLYESTER. EMB-100% VISCOSE
Repeat : H- 2 cm x W- 3 cm
GSM : 470
Martindale : N/A
Wash Care : ONLY DRY CLEAN, IRON 2 DOTS, DON'T BLEACH, DON'T TUMBLE, HANG DRY




Colour Way



◀◀ Back to Photo

◀◀ Back to Styling Page

◀◀ Back to Layer






KILIMA MATOPE 514

Specification


Design : KILIMA
Shade : MATOPE
Width : 138 cm
Composition : 58% VISCOSE, 25% LINEN, 14%
COTTTON, 3% POLYSTER
Repeat : H- 0.7 cm x W- 1 cm
GSM : 626
Martindale : 30000 rubs
Wash Care : ONLY DRY CLEAN, IRON 2 DOTS,
DON'T BLEACH, DON'T TUMBLE,
HANG DRY



Colour Way



◀◀ Back to Layer



BAXTER NERO 110901

Specification

Design : BAXTER
Shade : NERO
Width : 142 cm
Composition : 62% COTTON, 38% POLYESTER
Repeat : H- 9.5 cm x W- 9.5 cm
GSM : 330
Martindale : 41000 rubs
Wash Care : M/C WASH AT 30°C , IRONING-
2 DOTS , DRY- HANG DRY ,
TUMBLE DRY- DON'T , BLEACH-
DON'T , DRY CLEAN-CAN DRY
CLEAN




Colour Way



◀◀ Back to Photo

◀◀ Back to Styling Page

◀◀ Back to Layer




WESTON JADE BLACK 110902

Specification

Design : WESTON
 Shade : JADE BLACK
 Width : 144 cm
 Composition : 61% COTTON, 29% VISCOSE,
 10% LINEN
 Repeat : H- 3.7 cm x W- 7.2 cm
 GSM : 529
 Martindale : 45000 rubs
 Wash Care : ONLY DRY CLEAN, IRON 2 DOTS,
 DON'T BLEACH, DON'T TUMBLE,
 HANG DRY




Colour Way



◀◀ Back to Photo

◀◀ Back to Layer




PATAN CHARCOAL 110931

Specification


Design : PATAN
Shade : CHARCOAL
Width : 139.5 cm
Composition : 100% COTTON
Repeat : H- 0.7 cm x W- STRIPE cm
GSM : 395
Martindale : 45000 rubs
Wash Care : ONLY DRY CLEAN, IRON 2 DOTS,
DON'T BLEACH, DON'T TUMBLE,
HANG DRY



Colour Way



◀◀ Back to Layer





CHAYA PYRITE 110904

Specification


Design : CHAYA
Shade : PYRITE
Width : 138.5 cm
Composition : 54%VISCOSE, 23%LINEN,
12%COTTON, 11%POLYESTER
Repeat : H- 2.3 cm x W- 2.6 cm
GSM : 598
Martindale : 78000 rubs
Wash Care : ONLY DRY CLEAN, IRON 2
DOTS, DON'T BLEACH, DON'T
TUMBLE, HANG DRY



Colour Way



◀◀ Back to Layer





BARKA BLACK 110935

Specification

Design : BARKA
Shade : BLACK
Width : 135.5 cm
Composition : BASE-100%POLYESTER. EMB-100% VISCOSE
Repeat : H- 2 cm x W- 3 cm
GSM : 470
Martindale : N/A
Wash Care : ONLY DRY CLEAN, IRON 2 DOTS, DON'T BLEACH, DON'T TUMBLE, HANG DRY




Colour Way



◀◀ Back to Photo

◀◀ Back to Layer




TASYA TEKTITE 110907

Specification

Design : TASYA
Shade : TEKTITE
Width : 135 cm
Composition : 48% COTTON, 35% VISCOSE,
15% LINEN, 2% POLYESTER
Repeat : H- 3.3 cm x W- 3.6 cm
GSM : 554
Martindale : 65000 rubs
Wash Care : ONLY DRY CLEAN, IRON 2
DOTS, DON'T BLEACH, DON'T
TUMBLE, HANG DRY



Colour Way



◀◀ Back to Photo

◀◀ Back to Layer



PRUGE SABLE 110937

Specification

Design : PRUGE
 Shade : SABLE
 Width : 135 cm
 Composition : 44%VISCOSE, 37%POLYESTER,
 19%LINEN
 Repeat : H- STRIPE x W- 15 cm
 GSM : 470
 Martindale : 25000 rubs
 Wash Care : M/C WASH AT 30°C , IRONING-
 2 DOTS , DRY- HANG DRY ,
 TUMBLE DRY- DON'T , BLEACH-
 DON'T , DRY CLEAN-CAN DRY
 CLEAN




Colour Way



◀◀ Back to Styling Page

◀◀ Back to Layer




CASPER QUARTZ 110908

Specification

Design : CASPER
Shade : QUARTZ
Width : 139.5 cm
Composition : 100%POLYESTER
Repeat : H- N/A x W- N/A
GSM : 560
Martindale : 25000 rubs
Wash Care : M/C WASH AT 30°C , IRONING-
2 DOTS , DRY- HANG DRY ,
TUMBLE DRY- DON'T , BLEACH-
DON'T , DRY CLEAN-CAN DRY
CLEAN




Colour Way



◀◀ Back to Photo

◀◀ Back to Layer





JAIRO ONYX 110909

Specification

Design : JAIRO
Shade : ONYX
Width : 136.5 cm
Composition : 46% COTTON, 27% VISCOSE,
15% POLYESTER, 12% LINEN
Repeat : H- 0.5 cm x W- 1.6 cm
GSM : 664
Martindale : 100000 rubs
Wash Care : ONLY DRY CLEAN, IRON 2
DOTS, DON'T BLEACH, DON'T
TUMBLE, HANG DRY



Colour Way



◀◀ Back to Photo

◀◀ Back to Styling Page

◀◀ Back to Layer




JABARI NOIR 110910

Specification

Design : JABARI
Shade : NOIR
Width : 136.5 cm
Composition : 57% COTTON, 21% VISCOSE,
13% POLYESTER, 9% LINEN
Repeat : H- 7 cm x W- 2 cm
GSM : 422
Martindale : 41000 rubs
Wash Care : ONLY DRY CLEAN, IRON 2
DOTS, DON'T BLEACH, DON'T
TUMBLE, HANG DRY



Colour Way



◀◀ Back to Layer



HALE QUARRY 110911

Specification

Design : HALE
Shade : QUARRY
Width : 140.5 cm
Composition : 92%POLYESTER, 6%VISCOSE,
2%LINEN
Repeat : H- N/A x W- N/A
GSM : 556
Martindale : 100000 rubs
Wash Care : ONLY DRY CLEAN, IRON 2 DOTS,
DON'T BLEACH, DON'T TUMBLE,
HANG DRY



Colour Way



◀◀ Back to Styling Page

◀◀ Back to Layer





EARL GRAPHITE 110912

Specification

Design : EARL
Shade : GRAPHITE
Width : 141.5 cm
Composition : 40%POLYESTER, 27%VISCOSE,
24%COTTON, 9%LINEN
Repeat : H- 8 cm x W- 4 cm
GSM : 505
Martindale : 25000 rubs
Wash Care : M/C WASH AT 30°C , IRONING-
2 DOTS , DRY- HANG DRY ,
TUMBLE DRY- DON'T , BLEACH-
DON'T , DRY CLEAN-CAN DRY
CLEAN




Colour Way



◀◀ Back to Photo

◀◀ Back to Layer




BELKA INK 110913

Specification

Design : BELKA
Shade : INK
Width : 135 cm
Composition : 49% COTTON, 27% VISCOSE,
12% LINEN, 12% POLYESTER
Repeat : H- 2.5 cm x W- 2.5 cm
GSM : 517
Martindale : 100000 rubs
Wash Care : ONLY DRY CLEAN, IRON 2
DOTS, DON'T BLEACH, DON'T
TUMBLE, HANG DRY



Colour Way



◀◀ Back to Styling Page

◀◀ Back to Layer




CAREY RAVEN 110914

Specification


Design : CAREY
Shade : RAVEN
Width : 138.5 cm
Composition : 49%POLYESTER, 29%COTTON,
21%LINEN, 1%POLYAMIDE
Repeat : H- 2.5 cm x W- 2.2 cm
GSM : 627
Martindale : 49000 rubs
Wash Care : ONLY DRY CLEAN, IRON 2 DOTS,
DON'T BLEACH, DON'T TUMBLE,
HANG DRY



Colour Way



◀◀ Back to Layer




CUBA SOOT 110915

Specification

Design : CUBA
Shade : SOOT
Width : 137 cm
Composition : 100% COTTON
Repeat : H- 1 cm x W- 1 cm
GSM : 504
Martindale : 100000 rubs
Wash Care : ONLY DRY CLEAN, IRON 2 DOTS,
DON'T BLEACH, DON'T TUMBLE,
HANG DRY



Colour Way



◀◀ Back to Photo

◀◀ Back to Layer



ENRICO ANCHOR 110916

Specification

Design : ENRICO
Shade : ANCHOR
Width : 140.5 cm
Composition : 72% COTTON, 28% VISCOSE
Repeat : H- N/A cm x W- N/A cm
GSM : 450
Martindale : 80000 rubs
Wash Care : ONLY DRY CLEAN, IRON 2 DOTS,
DON'T BLEACH, DON'T TUMBLE,
HANG DRY



Colour Way



◀◀ Back to Styling Page

◀◀ Back to Layer




PODRICK LEAD 110917

Specification

Design : PODRICK
Shade : LEAD
Width : 139 cm
Composition : 80%POLYESTER, 20%COTTON
Repeat : H- STRIPE cm x W- 2 cm
GSM : 708
Martindale : 100000 rubs
Wash Care : ONLY DRY CLEAN, IRON 2 DOTS,
DON'T BLEACH, DON'T TUMBLE,
HANG DRY




Colour Way



◀◀ Back to Photo

◀◀ Back to Layer




MURSI USIKU 526

Specification

Design : MURSI
Shade : USIKU
Width : 138 cm
Composition : 54% COTTON, 43% POLYESTER,
3% POLYAMIDE
Repeat : H- N/A cm x W- N/A cm
GSM : 460
Martindale : 20000 rubs
Wash Care : M/C WASH AT 40°C , IRONING-
2 DOTS , DRY- HANG DRY ,
TUMBLE DRY- DON'T , BLEACH-
DON'T , DRY CLEAN-CAN DRY
CLEAN




Colour Way



◀◀ Back to Photo

◀◀ Back to Styling Page

◀◀ Back to Layer




ADALI PEBBLE 110920

Specification

Design : ADALI
Shade : PEBBLE
Width : 138 cm
Composition : 100% COTTON
Repeat : H- 4 cm x W- 3 cm
GSM : 625
Martindale : 52000 rubs
Wash Care : ONLY DRY CLEAN, IRON 2 DOTS,
DON'T BLEACH, DON'T TUMBLE,
HANG DRY



Colour Way



◀◀ Back to Photo

2

◀◀ Back to Layer



QUITO SMOKE 110921

Specification


Design : QUITO
Shade : SMOKE
Width : 140.5 cm
Composition : 44%LINEN, 30%POLYESTER,
13%COTTON, 13%VISCOSE
Repeat : H- N/A x W- N/A
GSM : 328
Martindale : 65000 rubs
Wash Care : ONLY DRY CLEAN, IRON 2
DOTS, DON'T BLEACH, DON'T
TUMBLE, HANG DRY



Colour Way



◀◀ Back to Layer



WIGA KURO 110936

Specification

Design : WIGA
Shade : KURO
Width : 135 cm
Composition : 53% COTTON, 47% POLYESTER
Repeat : H- 2.3 cm x W- 2.2 cm
GSM : 537
Martindale : 25000 rubs
Wash Care : M/C WASH AT 30°C , IRONING-
2 DOTS , DRY- HANG DRY ,
TUMBLE DRY- DON'T , BLEACH-
DON'T , DRY CLEAN-CAN DRY
CLEAN




Colour Way



◀◀ Back to Styling Page

◀◀ Back to Layer




TAYEB SHADOW 110922

Specification

Design : TAYEB
Shade : SHADOW
Width : 136 cm
Composition : 88%POLYESTER,12%COTTON
Repeat : H- 2.5 cm x W- 2.2 cm
GSM : 774
Martindale : 100000 rubs
Wash Care : ONLY DRY CLEAN, IRON 2 DOTS,
DON'T BLEACH, DON'T TUMBLE,
HANG DRY



Colour Way



◀◀ Back to Layer




MEANDER OBSIDIAN 110924

Specification

Design : MEANDER
Shade : OBSIDIAN
Width : 140 cm
Composition : 51% COTTON, 34% VISCOSE,
15% LINEN
Repeat : H- 2 cm x W- 2 cm
GSM : 423
Martindale : 20000 rubs
Wash Care : ONLY DRY CLEAN, IRON 2 DOTS,
DON'T BLEACH, DON'T TUMBLE,
HANG DRY




Colour Way



◀◀ Back to Photo

◀◀ Back to Styling Page

◀◀ Back to Layer




ADONI FOSSIL 110926

Specification

Design : ADONI
Shade : FOSSIL
Width : 138.5 cm
Composition : 49%POLYESTER, 29%COTTON,
21%LINEN, 1%POLYAMIDE
Repeat : H- 2.5 cm x W- 2.3 cm
GSM : 627
Martindale : 49000 rubs
Wash Care : ONLY DRY CLEAN, IRON 2 DOTS,
DON'T BLEACH, DON'T TUMBLE,
HANG DRY



Colour Way



◀◀ Back to Pure Styling Page

◀◀ Back to Layer




ALWAR PITCH 110927

Specification

Design : ALWAR
Shade : PITCH
Width : 141 cm
Composition : 81% COTTON, 19% LINEN
Repeat : H- STRIPE x W- 28 cm
GSM : 489
Martindale : 40000 rubs
Wash Care : ONLY DRY CLEAN, IRON 2 DOTS,
DON'T BLEACH, DON'T TUMBLE,
HANG DRY




Colour Way



◀◀ Back to Photo

◀◀ Back to Styling Page

◀◀ Back to Layer




BHUJ MAGMA 110930

Specification

Design : BHUJ
Shade : MAGMA
Width : 136 cm
Composition : 57% POLYESTER, 43% COTTON
Repeat : H- 2.3 cm x W- 2.7 cm
GSM : 755
Martindale : 100000 rubs
Wash Care : ONLY DRY CLEAN, IRON 2 DOTS,
DON'T BLEACH, DON'T TUMBLE,
HANG DRY



Colour Way



◀◀ Back to Photo

◀◀ Back to Layer





AUDRE EBONY 107746

Specification

Design : AUDRE
 Shade : EBONY
 Width : 137 cm
 Composition : 100%POLYESTER
 Repeat : H- STRIPE cm x W- 5.7 cm
 GSM : 519
 Martindale : 100000 rubs
 Wash Care : M/C WASH AT 40°C , IRONING-
 2 DOTS , DRY- HANG DRY ,
 TUMBLE DRY- DON'T , BLEACH-
 DON'T , DRY CLEAN-CAN DRY
 CLEAN




Colour Way



◀◀ Back to Styling Page

◀◀ Back to Layer




VITRAIL ROVER 110928

Specification

Design : VITRAIL
Shade : ROVER
Width : 136.5 cm
Composition : 49% COTTON, 34% VISCOSE,
15% LINEN, 2% POLYESTER
Repeat : H- 9 cm x W- 4.5 cm
GSM : 543
Martindale : 37000 rubs
Wash Care : ONLY DRY CLEAN, IRON 2 DOTS,
DON'T BLEACH, DON'T TUMBLE,
HANG DRY



Colour Way



◀◀ Back to Photo

2

◀◀ Back to Styling Page

◀◀ Back to Layer

SKU NO. : 110901

QUALITY : BAXTER

DESIGN : BAXTER

WIDTH : 140

Sr. No.	TEST NAME	VALUE
1	Colour Fastness to Rubbing	Warp / Weft
	Dry	4-5
	Wet	3
2	Colour Fastness to Light	Warp / Weft
	Grade	5
3	Wyzenbeek Abrasion	Warp / Weft
	Warp	No breakdown occurred upto 30000 cycles
	Weft	No breakdown occurred upto 30000 cycles
4	Seam Slippage / Strength	
	Warp	33.8 kg Sewing Thread Broken
	Weft	34.3 kg Sewing Thread Broken
5	Abrasion Resistance - 20000 Rev.	
	Shade Change	@ 5000 rubs : 4
	No. of Rubs for the End Point	Breakdown occurred at 15000 rubs.
6	Pilling Resistance (Martindale) 5000 Rubs	
	125 Rubs	4-5
	500 Rubs	4
	1000 Rubs	4
	2000 Rubs	3-4
	5000 Rubs	3-4
7	Tensile Strength	
	Warp	170.0 kg
	Weft	60.1 kg

SKU NO. : 110902

QUALITY : EARL

DESIGN : WESTON

WIDTH : 140

Sr. No.	TEST NAME	VALUE
1	Colour Fastness to Rubbing	Warp / Weft
	Dry	4-5
	Wet	3-4
2	Colour Fastness to Light	Warp / Weft
	Grade	5
3	Wyzenbeek Abrasion	Warp / Weft
	Warp	No breakdown occurred upto 15000 cycles
	Weft	No breakdown occurred upto 30000 cycles
4	Seam Slippage / Strength	
	Warp	28.4 kg Sewing Thread Broken
	Weft	26.6 kg Sewing Thread Broken
5	Abrasion Resistance - 20000 Rev.	
	Shade Change	@ 5000 rubs : 4
	No. of Rubs for the End Point	No Breakdown till 20000 rubs
6	Pilling Resistance (Martindale) 5000 Rubs	
	125 Rubs	4-5
	500 Rubs	4
	1000 Rubs	4
	2000 Rubs	4
	5000 Rubs	4
7	Tensile Strength	
	Warp	57.8 kg
	Weft	59.4 kg

SKU NO. : 110904

QUALITY : CHAYA

DESIGN : CHAYA

WIDTH : 140

Sr. No.	TEST NAME	VALUE
1	Colour Fastness to Rubbing	Warp / Weft
	Dry	4-5
	Wet	2-3
2	Colour Fastness to Light	Warp / Weft
	Grade	5
3	Wyzenbeek Abrasion	Warp / Weft
	Warp	No breakdown occurred upto 30000 cycles
	Weft	No breakdown occurred upto 30000 cycles
4	Seam Slippage / Strength	
	Warp	32.5 kg Sewing Thread Broken
	Weft	30.9 kg Sewing Thread Broken
5	Abrasion Resistance - 20000 Rev.	
	Shade Change	@ 5000 rubs : 4
	No. of Rubs for the End Point	No Breakdown till 20000 rubs
6	Pilling Resistance (Martindale) 5000 Rubs	
	125 Rubs	4-5
	500 Rubs	4
	1000 Rubs	4
	2000 Rubs	3-4
	5000 Rubs	3
7	Tensile Strength	
	Warp	122.0 kg
	Weft	59.5 kg

SKU NO. : 110907

QUALITY : TASYA

DESIGN : TASYA

WIDTH : 140

Sr. No.	TEST NAME	VALUE
1	Colour Fastness to Rubbing	Warp / Weft
	Dry	4-5
	Wet	3
2	Colour Fastness to Light	Warp / Weft
	Grade	5
3	Wyzenbeek Abrasion	Warp / Weft
	Warp	No breakdown occurred upto 30000 cycles
	Weft	No breakdown occurred upto 30000 cycles
4	Seam Slippage / Strength	
	Warp	35.8 kg Sewing Thread Broken
	Weft	30.2 kg Sewing Thread Broken
5	Abrasion Resistance - 20000 Rev.	
	Shade Change	@ 5000 rubs : 4
	No. of Rubs for the End Point	No Breakdown till 20000 rubs
6	Pilling Resistance (Martindale) 5000 Rubs	
	125 Rubs	4-5
	500 Rubs	4
	1000 Rubs	4
	2000 Rubs	3-4
	5000 Rubs	3-4
7	Tensile Strength	
	Warp	84.2 kg
	Weft	69.6 kg

SKU NO. : 110908

QUALITY : NORATEX

DESIGN : CASPER

WIDTH : 140

Sr. No.	TEST NAME	VALUE
1	Colour Fastness to Rubbing	Warp / Weft
	Dry	4-5
	Wet	4-5
2	Colour Fastness to Light	Warp / Weft
	Grade	5
3	Wyzenbeek Abrasion	Warp / Weft
	Warp	No breakdown occurred upto 30000 cycles
	Weft	No breakdown occurred upto 30000 cycles
4	Seam Slippage / Strength	
	Warp	35.8 kg Sewing Thread Broken
	Weft	33.6 kg Sewing Thread Broken
5	Abrasion Resistance - 20000 Rev.	
	Shade Change	@ 5000 rubs : 4
	No. of Rubs for the End Point	No breakdown till 20000 rubs
6	Pilling Resistance (Martindale) 5000 Rubs	
	125 Rubs	4-5
	500 Rubs	4
	1000 Rubs	4
	2000 Rubs	3-4
	5000 Rubs	3
7	Tensile Strength	
	Warp	114.2 kg
	Weft	113.5 kg

SKU NO. : 110909

QUALITY : JAIRO

DESIGN : JAIRO

WIDTH : 140

Sr. No.	TEST NAME	VALUE
1	Colour Fastness to Rubbing	Warp / Weft
	Dry	4-5
	Wet	3-4
2	Colour Fastness to Light	Warp / Weft
	Grade	5
3	Wyzenbeek Abrasion	Warp / Weft
	Warp	No breakdown occurred upto 30000 cycles
	Weft	No breakdown occurred upto 30000 cycles
4	Seam Slippage / Strength	
	Warp	33.8 kg Sewing Thread Broken
	Weft	30.2 kg Sewing Thread Broken
5	Abrasion Resistance - 20000 Rev.	
	Shade Change	@ 5000 rubs : 4
	No. of Rubs for the End Point	No Breakdown till 20000 rubs
6	Pilling Resistance (Martindale) 5000 Rubs	
	125 Rubs	4-5
	500 Rubs	4
	1000 Rubs	4
	2000 Rubs	3-4
	5000 Rubs	3-4
7	Tensile Strength	
	Warp	108.5 kg
	Weft	72.0 kg

SKU NO. : 110910

QUALITY : GILBERT

DESIGN : JABARI

WIDTH : 140

Sr. No.	TEST NAME	VALUE
1	Colour Fastness to Rubbing	Warp / Weft
	Dry	4-5
	Wet	3-4
2	Colour Fastness to Light	Warp / Weft
	Grade	5
3	Wyzenbeek Abrasion	Warp / Weft
	Warp	No breakdown occurred upto 28000 cycles
	Weft	No breakdown occurred upto 25000 cycles
4	Seam Slippage / Strength	
	Warp	29.7 kg Sewing Thread Broken
	Weft	29.7 kg Sewing Thread Broken
5	Abrasion Resistance - 20000 Rev.	
	Shade Change	@ 5000 rubs : 4
	No. of Rubs for the End Point	No Breakdown till 20000 rubs
6	Pilling Resistance (Martindale) 5000 Rubs	
	125 Rubs	4-5
	500 Rubs	4
	1000 Rubs	4
	2000 Rubs	3-4
	5000 Rubs	3-4
7	Tensile Strength	
	Warp	38.5 kg
	Weft	75.8 kg

SKU NO. : 110911

QUALITY : HAYLEY

DESIGN : HALE

WIDTH : 140

Sr. No.	TEST NAME	VALUE
1	Colour Fastness to Rubbing	Warp / Weft
	Dry	4-5
	Wet	4-5
2	Colour Fastness to Light	Warp / Weft
	Grade	5
3	Wyzenbeek Abrasion	Warp / Weft
	Warp	No breakdown occurred upto 30000 cycles
	Weft	No breakdown occurred upto 30000 cycles
4	Seam Slippage / Strength	
	Warp	39.8 kg Sewing Thread Broken
	Weft	45.6 kg Sewing Thread Broken
5	Abrasion Resistance - 20000 Rev.	
	Shade Change	@ 5000 rubs : 4
	No. of Rubs for the End Point	No Breakdown till 20000 rubs
6	Pilling Resistance (Martindale) 5000 Rubs	
	125 Rubs	4-5
	500 Rubs	4
	1000 Rubs	4
	2000 Rubs	3-4
	5000 Rubs	3-4
7	Tensile Strength	
	Warp	161.5 kg
	Weft	264.6 kg

SKU NO. : 110912

QUALITY : LUCIOLE

DESIGN : EARL

WIDTH : 140

Sr. No.	TEST NAME	VALUE
1	Colour Fastness to Rubbing	Warp / Weft
	Dry	4-5
	Wet	4
2	Colour Fastness to Light	Warp / Weft
	Grade	5
3	Wyzenbeek Abrasion	Warp / Weft
	Warp	No breakdown occurred upto 30000 cycles
	Weft	No breakdown occurred upto 30000 cycles
4	Seam Slippage / Strength	
	Warp	34.5 kg Sewing Thread Broken
	Weft	36.2 kg Sewing Thread Broken
5	Abrasion Resistance - 20000 Rev.	
	Shade Change	@ 5000 rubs : 4
	No. of Rubs for the End Point	No Breakdown till 20000 rubs
6	Pilling Resistance (Martindale) 5000 Rubs	
	125 Rubs	4-5
	500 Rubs	4
	1000 Rubs	4
	2000 Rubs	4
	5000 Rubs	4
7	Tensile Strength	
	Warp	60.5 kg
	Weft	105.3 kg

SKU NO. : 110913

QUALITY : BELKA

DESIGN : BELKA

WIDTH : 140

Sr. No.	TEST NAME	VALUE
1	Colour Fastness to Rubbing	Warp / Weft
	Dry	4-5
	Wet	3
2	Colour Fastness to Light	Warp / Weft
	Grade	5
3	Wyzenbeek Abrasion	Warp / Weft
	Warp	No breakdown occurred upto 30000 cycles
	Weft	No breakdown occurred upto 30000 cycles
4	Seam Slippage / Strength	
	Warp	32.1 kg Sewing Thread Broken
	Weft	35.5 kg Sewing Thread Broken
5	Abrasion Resistance - 20000 Rev.	
	Shade Change	@ 5000 rubs : 3-4
	No. of Rubs for the End Point	No breakdown till 20000 rubs
6	Pilling Resistance (Martindale) 5000 Rubs	
	125 Rubs	4-5
	500 Rubs	4
	1000 Rubs	4
	2000 Rubs	3-4
	5000 Rubs	3-4
7	Tensile Strength	
	Warp	54.8 kg
	Weft	51.0 kg

SKU NO. : 110914

QUALITY : CAREY

DESIGN : CAREY

WIDTH : 140

Sr. No.	TEST NAME	VALUE
1	Colour Fastness to Rubbing	Warp / Weft
	Dry	4-5
	Wet	4
2	Colour Fastness to Light	Warp / Weft
	Grade	5
3	Wyzenbeek Abrasion	Warp / Weft
	Warp	No breakdown occurred upto 30000 cycles
	Weft	No breakdown occurred upto 30000 cycles
4	Seam Slippage / Strength	
	Warp	32.2 kg Sewing Thread Broken
	Weft	41.1 kg Sewing Thread Broken
5	Abrasion Resistance - 20000 Rev.	
	Shade Change	@ 5000 rubs : 4
	No. of Rubs for the End Point	No Breakdown till 20000 rubs
6	Pilling Resistance (Martindale) 5000 Rubs	
	125 Rubs	4-5
	500 Rubs	4
	1000 Rubs	4
	2000 Rubs	4
	5000 Rubs	4
7	Tensile Strength	
	Warp	61.1 kg
	Weft	65.0 kg

SKU NO. : 110915

QUALITY : CONDOR

DESIGN : CUBA

WIDTH : 140

Sr. No.	TEST NAME	VALUE
1	Colour Fastness to Rubbing	Warp / Weft
	Dry	4-5
	Wet	3
2	Colour Fastness to Light	Warp / Weft
	Grade	5
3	Wyzenbeek Abrasion	Warp / Weft
	Warp	No breakdown occurred upto 30000 cycles
	Weft	No breakdown occurred upto 30000 cycles
4	Seam Slippage / Strength	
	Warp	31.1 kg Sewing Thread Broken
	Weft	30.7 kg Sewing Thread Broken
5	Abrasion Resistance - 20000 Rev.	
	Shade Change	@ 5000 rubs : 4
	No. of Rubs for the End Point	No Breakdown till 20000 rubs
6	Pilling Resistance (Martindale) 5000 Rubs	
	125 Rubs	4-5
	500 Rubs	4
	1000 Rubs	4
	2000 Rubs	3-4
	5000 Rubs	3
7	Tensile Strength	
	Warp	68.7 kg
	Weft	68.8 kg

SKU NO. : 110916

QUALITY : ENRIQUE

DESIGN : ENRICO

WIDTH : 140

Sr. No.	TEST NAME	VALUE
1	Colour Fastness to Rubbing	Warp / Weft
	Dry	4-5
	Wet	4
2	Colour Fastness to Light	Warp / Weft
	Grade	5
3	Wyzenbeek Abrasion	Warp / Weft
	Warp	No breakdown occurred upto 30000 cycles
	Weft	No breakdown occurred upto 30000 cycles
4	Seam Slippage / Strength	
	Warp	33.7 kg Sewing Thread Broken
	Weft	35.8 kg Sewing Thread Broken
5	Abrasion Resistance - 20000 Rev.	
	Shade Change	@ 5000 rubs : 4
	No. of Rubs for the End Point	No Breakdown till 20000 rubs
6	Pilling Resistance (Martindale) 5000 Rubs	
	125 Rubs	4-5
	500 Rubs	4
	1000 Rubs	4
	2000 Rubs	4
	5000 Rubs	4
7	Tensile Strength	
	Warp	42.6 kg
	Weft	40.3 kg

SKU NO. : 110917

QUALITY : MIKADO

DESIGN : PODRICK

WIDTH : 140

Sr. No.	TEST NAME	VALUE
1	Colour Fastness to Rubbing	Warp / Weft
	Dry	4-5
	Wet	4
2	Colour Fastness to Light	Warp / Weft
	Grade	5
3	Wyzenbeek Abrasion	Warp / Weft
	Warp	No breakdown occurred upto 30000 cycles
	Weft	No breakdown occurred upto 30000 cycles
4	Seam Slippage / Strength	
	Warp	39.8 kg Sewing Thread Broken
	Weft	38.7 kg Sewing Thread Broken
5	Abrasion Resistance - 20000 Rev.	
	Shade Change	@ 5000 rubs : 4
	No. of Rubs for the End Point	No Breakdown till 20000 rubs
6	Pilling Resistance (Martindale) 5000 Rubs	
	125 Rubs	4-5
	500 Rubs	4
	1000 Rubs	4
	2000 Rubs	4
	5000 Rubs	4
7	Tensile Strength	
	Warp	129.1 kg
	Weft	70.3 kg

SKU NO. : 110918

QUALITY : AFNON

DESIGN : KEPNER

WIDTH : 140

Sr. No.	TEST NAME	VALUE
1	Colour Fastness to Rubbing	Warp / Weft
	Dry	4-5
	Wet	4
2	Colour Fastness to Light	Warp / Weft
	Grade	5
3	Wyzenbeek Abrasion	Warp / Weft
	Warp	No breakdown occurred upto 5000 cycles
	Weft	No breakdown occurred upto 25000 cycles
4	Seam Slippage / Strength	
	Warp	38.8 kg Sewing Thread Broken
	Weft	39.3 kg Sewing Thread Broken
5	Abrasion Resistance - 20000 Rev.	
	Shade Change	@ 5000 rubs : 4
	No. of Rubs for the End Point	No Breakdown till 20000 rubs
6	Pilling Resistance (Martindale) 5000 Rubs	
	125 Rubs	4-5
	500 Rubs	4
	1000 Rubs	4
	2000 Rubs	4
	5000 Rubs	4
7	Tensile Strength	
	Warp	50.1 kg
	Weft	53.3 kg

SKU NO. : 110919

QUALITY : VALIN

DESIGN : BARKA

WIDTH : 140

Sr. No.	TEST NAME	VALUE
1	Colour Fastness to Rubbing	Warp / Weft
	Dry	4-5
	Wet	4-5
2	Colour Fastness to Light	Warp / Weft
	Grade	5
3	Wyzenbeek Abrasion	Warp / Weft
	Warp	No breakdown occurred upto 30000 cycles
	Weft	No breakdown occurred upto 30000 cycles
4	Seam Slippage / Strength	
	Warp	55.4 kg Sewing Thread Broken
	Weft	39.9 kg Sewing Thread Broken
5	Abrasion Resistance - 20000 Rev.	
	Shade Change	@ 5000 rubs : 4
	No. of Rubs for the End Point	No Breakdown till 20000 rubs
6	Pilling Resistance (Martindale) 5000 Rubs	
	125 Rubs	4-5
	500 Rubs	4
	1000 Rubs	4
	2000 Rubs	4
	5000 Rubs	4
7	Tensile Strength	
	Warp	57.0 kg
	Weft	59.3 kg

SKU NO. : 514

QUALITY : DENIRO

DESIGN : KILIMA

WIDTH : 140

Sr. No.	TEST NAME	VALUE
1	Colour Fastness to Rubbing	Warp / Weft
	Dry	4-5
	Wet	3
2	Colour Fastness to Light	Warp / Weft
	Grade	5
3	Wyzenbeek Abrasion	Warp / Weft
	Warp	No breakdown occurred upto 30000 cycles
	Weft	No breakdown occurred upto 30000 cycles
4	Seam Slippage / Strength	
	Warp	34.3 kg Sewing Thread Broken
	Weft	32.5 kg Sewing Thread Broken
5	Abrasion Resistance - 20000 Rev.	
	Shade Change	@ 5000 rubs : 4
	No. of Rubs for the End Point	No Breakdown till 20000 rubs
6	Pilling Resistance (Martindale) 5000 Rubs	
	125 Rubs	4-5
	500 Rubs	4
	1000 Rubs	4
	2000 Rubs	3-4
	5000 Rubs	3-4
7	Tensile Strength	
	Warp	100.5 kg
	Weft	79.5 kg

SKU NO. : 110920

QUALITY : ADALI

DESIGN : ADALI

WIDTH : 140

Sr. No.	TEST NAME	VALUE
1	Colour Fastness to Rubbing	Warp / Weft
	Dry	4-5
	Wet	3-4
2	Colour Fastness to Light	Warp / Weft
	Grade	5
3	Wyzenbeek Abrasion	Warp / Weft
	Warp	No breakdown occurred upto 30000 cycles
	Weft	No breakdown occurred upto 30000 cycles
4	Seam Slippage / Strength	
	Warp	34.1 kg Sewing Thread Broken
	Weft	36.1 kg Sewing Thread Broken
5	Abrasion Resistance - 20000 Rev.	
	Shade Change	@ 5000 rubs : 4
	No. of Rubs for the End Point	No Breakdown till 20000 rubs
6	Pilling Resistance (Martindale) 5000 Rubs	
	125 Rubs	4-5
	500 Rubs	4
	1000 Rubs	4
	2000 Rubs	4
	5000 Rubs	4
7	Tensile Strength	
	Warp	75.5 kg
	Weft	62.0 kg

SKU NO. : 110921

QUALITY : KEATS

DESIGN : QUITO

WIDTH : 140

Sr. No.	TEST NAME	VALUE
1	Colour Fastness to Rubbing	Warp / Weft
	Dry	4-5
	Wet	3-4
2	Colour Fastness to Light	Warp / Weft
	Grade	5
3	Wyzenbeek Abrasion	Warp / Weft
	Warp	No breakdown occurred upto 30000 cycles
	Weft	No breakdown occurred upto 30000 cycles
4a	Seam Slippage	
	Warp	19.4 kg
	Weft	21.2 kg
4b	Seam Strength	
	Warp	36.5 kg Sewing Thread Broken
	Weft	37.6 kg Sewing Thread Broken
5	Abrasion Resistance - 20000 Rev.	
	Shade Change	@ 5000 rubs : 4
	No. of Rubs for the End Point	No Breakdown till 20000 rubs
6	Pilling Resistance (Martindale) 5000 Rubs	
	125 Rubs	4-5
	500 Rubs	4
	1000 Rubs	3-4
	2000 Rubs	3
	5000 Rubs	2-3
7	Tensile Strength	
	Warp	96.4 kg
	Weft	90.8 kg

SKU NO. : 110922

QUALITY : TAYEB

DESIGN : TAYEB

WIDTH : 140

Sr. No.	TEST NAME	VALUE
1	Colour Fastness to Rubbing	Warp / Weft
	Dry	4-5
	Wet	4-5
2	Colour Fastness to Light	Warp / Weft
	Grade	5
3	Wyzenbeek Abrasion	Warp / Weft
	Warp	No breakdown occurred upto 30000 cycles
	Weft	No breakdown occurred upto 30000 cycles
4	Seam Slippage / Strength	
	Warp	33.8 kg Sewing Thread Broken
	Weft	30.2 kg Sewing Thread Broken
5	Abrasion Resistance - 20000 Rev.	
	Shade Change	@ 5000 rubs : 4
	No. of Rubs for the End Point	No breakdown till 20000 rubs
6	Pilling Resistance (Martindale) 5000 Rubs	
	125 Rubs	4-5
	500 Rubs	4
	1000 Rubs	4
	2000 Rubs	3-4
	5000 Rubs	3-4
7	Tensile Strength	
	Warp	105.5 kg
	Weft	172.0 kg

SKU NO. : 110924

QUALITY : MEANDER

DESIGN : MEANDER

WIDTH : 140

Sr. No.	TEST NAME	VALUE
1	Colour Fastness to Rubbing	Warp / Weft
	Dry	4-5
	Wet	2-3
2	Colour Fastness to Light	Warp / Weft
	Grade	5
3	Wyzenbeek Abrasion	Warp / Weft
	Warp	Breakdown occurred upto 10000 cycles
	Weft	Breakdown occurred upto 10000 cycles
4	Seam Slippage / Strength	
	Warp	28.8 kg Sewing Thread Broken
	Weft	33.6 kg Sewing Thread Broken
5	Abrasion Resistance - 20000 Rev.	
	Shade Change	@ 5000 rubs : 4
	No. of Rubs for the End Point	Breakdown occurred at 13667 rubs (mean)
6	Pilling Resistance (Martindale) 5000 Rubs	
	125 Rubs	4-5
	500 Rubs	4
	1000 Rubs	4
	2000 Rubs	3-4
	5000 Rubs	3-4
7	Tensile Strength	
	Warp	59.5 kg
	Weft	59.7 kg

SKU NO. : 110926

QUALITY : CAREY

DESIGN : ADONI

WIDTH : 140

Sr. No.	TEST NAME	VALUE
1	Colour Fastness to Rubbing	Warp / Weft
	Dry	4-5
	Wet	4-5
2	Colour Fastness to Light	Warp / Weft
	Grade	5
3	Wyzenbeek Abrasion	Warp / Weft
	Warp	No breakdown occurred upto 30000 cycles
	Weft	No breakdown occurred upto 30000 cycles
4	Seam Slippage / Strength	
	Warp	35.7 kg Sewing Thread Broken
	Weft	32.2 kg Sewing Thread Broken
5	Abrasion Resistance - 20000 Rev.	
	Shade Change	@ 5000 rubs : 4
	No. of Rubs for the End Point	No Breakdown till 20000 rubs
6	Pilling Resistance (Martindale) 5000 Rubs	
	125 Rubs	4-5
	500 Rubs	4
	1000 Rubs	4
	2000 Rubs	3-4
	5000 Rubs	3-4
7	Tensile Strength	
	Warp	63.7 kg
	Weft	66.7 kg

SKU NO. : 110927

QUALITY : ALWAR

DESIGN : ALWAR

WIDTH : 140

Sr. No.	TEST NAME	VALUE
1	Colour Fastness to Rubbing	Warp / Weft
	Dry	4-5
	Wet	3
2	Colour Fastness to Light	Warp / Weft
	Grade	5
3	Wyzenbeek Abrasion	Warp / Weft
	Warp	No breakdown occurred upto 30000 cycles
	Weft	No breakdown occurred upto 30000 cycles
4	Seam Slippage / Strength	
	Warp	33.1 kg Sewing Thread Broken
	Weft	34.2 kg Sewing Thread Broken
5	Abrasion Resistance - 20000 Rev.	
	Shade Change	@ 5000 rubs : 4
	No. of Rubs for the End Point	No Breakdown till 20000 rubs
6	Pilling Resistance (Martindale) 5000 Rubs	
	125 Rubs	4-5
	500 Rubs	4
	1000 Rubs	4
	2000 Rubs	3-4
	5000 Rubs	3-4
7	Tensile Strength	
	Warp	87.6 kg
	Weft	62.9 kg

SKU NO. : 110928

QUALITY : VITRAIL

DESIGN : VITRAIL

WIDTH : 140

Sr. No.	TEST NAME	VALUE
1	Colour Fastness to Rubbing	Warp / Weft
	Dry	4-5
	Wet	4
2	Colour Fastness to Light	Warp / Weft
	Grade	5
3	Wyzenbeek Abrasion	Warp / Weft
	Warp	No breakdown occurred upto 30000 cycles
	Weft	No breakdown occurred upto 30000 cycles
4	Seam Slippage / Strength	
	Warp	35.7 kg Sewing Thread Broken
	Weft	32.5 kg Sewing Thread Broken
5	Abrasion Resistance - 20000 Rev.	
	Shade Change	@ 5000 rubs : 4
	No. of Rubs for the End Point	No Breakdown till 20000 rubs
6	Pilling Resistance (Martindale) 5000 Rubs	
	125 Rubs	4-5
	500 Rubs	4
	1000 Rubs	4
	2000 Rubs	3-4
	5000 Rubs	3-4
7	Tensile Strength	
	Warp	70.5 kg
	Weft	63.2 kg

SKU NO. : 110930

QUALITY : BHUJ

DESIGN : BHUJ

WIDTH : 140

Sr. No.	TEST NAME	VALUE
1	Colour Fastness to Rubbing	Warp / Weft
	Dry	4-5
	Wet	3-4
2	Colour Fastness to Light	Warp / Weft
	Grade	5
3	Wyzenbeek Abrasion	Warp / Weft
	Warp	No breakdown occurred upto 30000 cycles
	Weft	No breakdown occurred upto 30000 cycles
4	Seam Slippage / Strength	
	Warp	39.1 kg Sewing Thread Broken
	Weft	38.5 kg Sewing Thread Broken
5	Abrasion Resistance - 20000 Rev.	
	Shade Change	@ 5000 rubs : 4
	No. of Rubs for the End Point	No breakdown till 20000 rubs
6	Pilling Resistance (Martindale) 5000 Rubs	
	125 Rubs	4-5
	500 Rubs	4
	1000 Rubs	4
	2000 Rubs	3-4
	5000 Rubs	3
7	Tensile Strength	
	Warp	108.1 kg
	Weft	73.4 kg

SKU NO. : 110931

QUALITY : PATAN

DESIGN : PATAN

WIDTH : 140

Sr. No.	TEST NAME	VALUE
1	Colour Fastness to Rubbing	Warp / Weft
	Dry	4-5
	Wet	4
2	Colour Fastness to Light	Warp / Weft
	Grade	5
3	Wyzenbeek Abrasion	Warp / Weft
	Warp	No breakdown occurred upto 30000 cycles
	Weft	No breakdown occurred upto 30000 cycles
4	Seam Slippage / Strength	
	Warp	35.9 kg Sewing Thread Broken
	Weft	28.8 kg Sewing Thread Broken
5	Abrasion Resistance - 20000 Rev.	
	Shade Change	@ 5000 rubs : 4
	No. of Rubs for the End Point	No Breakdown till 20000 rubs
6	Pilling Resistance (Martindale) 5000 Rubs	
	125 Rubs	4-5
	500 Rubs	4
	1000 Rubs	4
	2000 Rubs	4
	5000 Rubs	4
7	Tensile Strength	
	Warp	46.0 kg
	Weft	79.3 kg

SKU NO. : 110936

QUALITY : WIGA

DESIGN : WIGA

WIDTH : 140

Sr. No.	TEST NAME	VALUE
1	Colour Fastness to Rubbing	Warp / Weft
	Dry	4-5
	Wet	3
2	Colour Fastness to Light	Warp / Weft
	Grade	5
3	Wyzenbeek Abrasion	Warp / Weft
	Warp	No breakdown occurred upto 30000 cycles
	Weft	No breakdown occurred upto 30000 cycles
4	Seam Slippage / Strength	
	Warp	34.5 kg Sewing Thread Broken
	Weft	34.0 kg Sewing Thread Broken
5	Abrasion Resistance - 20000 Rev.	
	Shade Change	@ 5000 rubs : 4
	No. of Rubs for the End Point	No Breakdown till 20000 rubs
6	Pilling Resistance (Martindale) 5000 Rubs	
	125 Rubs	4-5
	500 Rubs	4
	1000 Rubs	4
	2000 Rubs	4
	5000 Rubs	4
7	Tensile Strength	
	Warp	182.5.1 kg
	Weft	139.6 kg

SKU NO. : 110937

QUALITY : PRUGE

DESIGN : PRUGE

WIDTH : 140

Sr. No.	TEST NAME	VALUE
1	Colour Fastness to Rubbing	Warp / Weft
	Dry	4-5
	Wet	3-4
2	Colour Fastness to Light	Warp / Weft
	Grade	5
3	Wyzenbeek Abrasion	Warp / Weft
	Warp	No breakdown occurred upto 30000 cycles
	Weft	No breakdown occurred upto 30000 cycles
4	Seam Slippage / Strength	
	Warp	39.8 kg Sewing Thread Broken
	Weft	37.5 kg Sewing Thread Broken
5	Abrasion Resistance - 20000 Rev.	
	Shade Change	@ 5000 rubs : 4
	No. of Rubs for the End Point	No breakdown till 20000 rubs
6	Pilling Resistance (Martindale) 5000 Rubs	
	125 Rubs	4-5
	500 Rubs	4
	1000 Rubs	4
	2000 Rubs	3-4
	5000 Rubs	3-4
7	Tensile Strength	
	Warp	102.4 kg
	Weft	97.6 kg

SKU NO. : 107746 QUALITY : NORA STRIPE DESIGN : AUDRE WIDTH : 140

Sr. No.	TEST NAME	VALUE
1	Colour Fastness to Rubbing	Warp / Weft
	Dry	2-3
	Wet	4
2	Colour Fastness to Light	Warp / Weft
	Grade	5
3	Wyzenbeek Abrasion	Warp / Weft
	Warp	No breakdown occurred upto 30000 cycles
	Weft	No breakdown occurred upto 30000 cycles
4	Seam Slippage / Strength	
	Warp	37.0 kg Sewing Thread Broken
	Weft	35.5 kg Sewing Thread Broken
5	Abrasion Resistance - 20000 Rev.	
	Shade Change	@ 5000 rubs : 4
	No. of Rubs for the End Point	No breakdown till 19500 rubs
6	Pilling Resistance (Martindale) 5000 Rubs	
	125 Rubs	4-5
	500 Rubs	4
	1000 Rubs	4
	2000 Rubs	3-4
	5000 Rubs	3-4
7	Tensile Strength	
	Warp	118.0 kg
	Weft	133.6 kg



PURE[™]
FINE FABRIC · FINE LIVING

apröyale
furnishing by **ap** asianpaints

Fabric Treatment Available on Request

- FLAME RETARDANT
- ANTIVIRAL
- EASY CLEAN

